



2655 North Ocean Drive
Suite 400
Singer Island, FL 33404
Phone: 561-848-3440
Fax 561-848-3441
www.bachsign.com
State Certified ES 12000577

Client:
THE VILLAGES OF ROYAL
PALM BEACH
PALM BEACH, FL.

Date:
FEBRUARY 1, 2009

Drawing Number:
VILLAGES OF ROYAL PALM BEACH-SF

Revisions:

DATE	DESCRIPTION
1 00-00	NA
2 00-00	NA
3 00-00	NA
4 00-00	NA
5 00-00	NA
6 00-00	NA
7 00-00	NA
8 00-00	NA
9 00-00	NA
10 00-00	NA

Sales Person:
CHRIS HILTERBRICK

Scale:
1/2" = 1'-0"

Drawn by:
O. BARNITZ

CLIENT/LANDLORD APPROVAL
 APPROVED
 APPROVED AS NOTED
 REVISE AND RESUBMIT
 Signature: *[Signature]*
 Title: *PAK Director*
 Date: *9-30-09*
SIGNATURE ABOVE ACKNOWLEDGES THAT ALL SPECIFICATIONS AND DIMENSIONS ON THESE DRAWINGS ARE UNDERSTOOD AND CORRECT.

THIS IS AN ORIGINAL DRAWING PROVIDED AS PART OF A PLANNED PROJECT AND IS NOT TO BE EXHIBITED, COPIED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF BACH SIGN GROUP, INC. OR ITS AUTHORIZED AGENTS. ALL RIGHTS RESERVED.

PRIMARY ELECTRICAL POWER TO SIGN TO BE BY OTHERS. ALL POWER TO BE 120 VOLT UNLESS OTHERWISE STATED.
 ELECTRICAL TO USE U.L. LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
SIGN MUST BE GROUNDED IN COMPLIANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRIC CODE.

SPECIFICATIONS:

MATERIAL	DESCRIPTION
M1	TOP LOGO TO BE 3/16" ROUTED OUT ALUMINUM SPRAYED P-1 GREEN. ICONS TO BE PREMIUM BEIGE VINYL. MOUNT TO TOP OF CROSS MEMBER.
M2	METAL ACORN FINIAL, TYPE TO BE DETERMINED.
M3	DAKTRONICS FULL COLOR LED MESSAGE CENTER MOUNTED ONTO 4" SQUARE STEEL CROSS MEMBERS.
M4	DISCONNECT SWITCH. POWER TO SIGN TO BE BY OTHERS.
M5	SUPPORTS: TWO (2) 6" ROUND ASTM A53 STEEL SUPPORTS. SM - 8.50
M6	FOUNDATIONS: SIZES TO BE DETERMINED BY STATE CERTIFIED ENGINEER.
M7	TWO (2) 4" SQUARE (.250) ASTM A500 STEEL TUBING WELDED BETWEEN MAIN SUPPORTS. CABINET TO BOLT TO CROSS MEMBERS WITH EXISTING CLIPS ON BACKSIDE OF MESSAGE CENTER. USE 3/8" THROUGH BOLTS.

PAINT	DESCRIPTION
P1	SMOOTH GREEN FINISH - ACTUAL COLOR TO BE DETERMINED. <i>DARK GREEN</i>
P2	SMOOTH BLACK FINISH <i>DARK GREEN</i>
P3	SIMULATED STUCCO TEXTURE FINISH - COLOR TO BE DETERMINED. <i>BEIGE</i>

ELECTRICAL REQUIREMENTS
 (TO BE DETERMINED) 20 AMP. 120 VOLT CIRCUITS REQUIRED DEDICATED TO SIGN ONLY. POWER TO SIGN TO BE SUPPLIED AND INSTALLED BY OTHERS.



BACH SIGN GROUP
 2655 North Ocean Drive
 Suite 400
 Singer Island, FL 33404
 Phone: 561-848-3440
 Fax 561-848-3441
 www.bachsign.com
 State Certified ES 12000577

Client:
 THE VILLAGES OF ROYAL
 PALM BEACH
 PALM BEACH, FL.

Date:
 FEBRUARY 1, 2009

Drawing Number:
 VILLAGES OF ROYAL PALM BEACH-SF

Revisions:

DATE	DESCRIPTION
1 00-00	NA
2 00-00	NA
3 00-00	NA
4 00-00	NA
5 00-00	NA
6 00-00	NA
7 00-00	NA
8 00-00	NA
9 00-00	NA
10 00-00	NA

Sales Person:
 CHRIS HILTERBRICK

Scale:
 1/2" = 1'-0"

Drawn by:
 O. BARNITZ

CLIENT/LANDLORD APPROVAL
 APPROVED
 APPROVED AS NOTED
 REVISE AND RESUBMIT
 Signature: *[Signature]*
 Title: *[Title]*
 Date: *9-30-09*

THIS IS AN ORIGINAL DRAWING PROVIDED AS PART OF A PLANNED PROJECT AND IS NOT TO BE EXHIBITED, COPIED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF BACH SIGN GROUP, INC. OR IT'S AUTHORIZED AGENTS. ALL RIGHTS RESERVED.

PRIMARY ELECTRICAL POWER TO SIGN TO BE BY OTHERS. ALL POWER TO BE 120 VOLT UNLESS OTHERWISE STATED.
 ELECTRICAL TO USE U.L. LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
 SIGN MUST BE GROUNDED IN COMPLIANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRIC CODE.

SHEET NO. 101

SPECIFICATIONS:

MATERIAL	DESCRIPTION
M1	TOP LOGO TO BE 3/16" ROUTED OUT ALUMINUM SPRAYED P-1 GREEN. ICONS TO BE PREMIUM BEIGE VINYL. MOUNT TO TOP OF CROSS MEMBER.
M2	METAL ACORN FINIAL, TYPE TO BE DETERMINED.
M3	DAKTRONICS FULL COLOR LED MESSAGE CENTER MOUNTED ONTO 4" SQUARE STEEL CROSS MEMBERS.
M4	DISCONNECT SWITCH. POWER TO SIGN TO BE BY OTHERS.
M5	SUPPORTS: TWO (2) 6" ROUND ASTM A53 STEEL SUPPORTS. SM - 8.50
M6	FOUNDATIONS: SIZES TO BE DETERMINED BY STATE CERTIFIED ENGINEER.
M7	TWO (2) 4" SQUARE (.250) ASTM A500 STEEL TUBING WELDED BETWEEN MAIN SUPPORTS. CABINET TO BOLT TO CROSS MEMBERS WITH EXISTING CLIPS ON BACKSIDE OF MESSAGE CENTER. USE 3/8" THROUGH BOLTS.

PAINT	DESCRIPTION
P1	SMOOTH GREEN FINISH - ACTUAL COLOR TO BE DETERMINED. <i>DARK GREEN</i>
P2	SMOOTH BLACK FINISH <i>DARK GREEN</i>
P3	SIMULATED STUCCO TEXTURE FINISH - COLOR TO BE DETERMINED. <i>BEIGE</i>

ELECTRICAL REQUIREMENTS
 (TO BE DETERMINED) 20 AMP. 120 VOLT CIRCUITS REQUIRED DEDICATED TO SIGN ONLY. POWER TO SIGN TO BE SUPPLIED AND INSTALLED BY OTHERS.

ONE (1) SIGN REQUIRED 6 5/8"
DOUBLE FACE



2655 North Ocean Drive
Suite 400
Singer Island, FL 33404
Phone: 561-848-3440
Fax 561-848-3441
www.bachsign.com
State Certified ES 12000577

Client:
THE VILLAGES OF ROYAL
PALM BEACH
PALM BEACH, FL.

Date:
FEBRUARY 1, 2009

Drawing Number:
VILLAGES OF ROYAL PALM BEACH

Revisions:

DATE:	DESCRIPTION:
1 00-00	NA
2 00-00	NA
3 00-00	NA
4 00-00	NA
5 00-00	NA
6 00-00	NA
7 00-00	NA
8 00-00	NA
9 00-00	NA
10 00-00	NA

Sales Person:
CHRIS HILTERBRICK

Scale:
1/2" = 1'-0"

Drawn by:
O. BARNITZ

CLIENT/LANDLORD APPROVAL

APPROVED
 APPROVED AS NOTED
 REVISE AND RESUBMIT
Signature: *[Signature]*
Title: *Paula Sue Davis*
Date: *9-30-09*
SIGNATURE ABOVE ACKNOWLEDGES THAT ALL SPECIFICATIONS AND DIMENSIONS ON THESE DRAWINGS ARE UNDERSTOOD AND CORRECT.

THIS IS AN ORIGINAL DRAWING PROVIDED AS PART OF A PLANNED PROJECT AND IS NOT TO BE EXHIBITED, COPIED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF BACH SIGN GROUP, INC. OR IT'S AUTHORIZED AGENTS. ALL RIGHTS RESERVED.

PRIMARY ELECTRICAL POWER TO SIGN TO BE BY OTHERS. ALL POWER TO BE 120 VOLT UNLESS OTHERWISE STATED.
ELECTRICAL TO USE U.L. LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
SIGN MUST BE GROUNDED IN COMPLIANCE WITH ARTICLE 500 OF THE NATIONAL ELECTRIC CODE.

SPECIFICATIONS:
MATERIAL DESCRIPTION

MATERIAL	DESCRIPTION
M1	TOP LOGO TO BE 3/16" ROUTED OUT ALUMINUM SPRAYED P-1 GREEN. ICONS TO BE PREMIUM BEIGE VINYL. MOUNT TO TOP OF CROSS MEMBER.
M2	METAL ACORN FINIAL, TYPE TO BE DETERMINED.
M3	DAKTRONICS FULL COLOR LED MESSAGE CENTERS MOUNTED BACK TO BACK ONTO 4" SQUARE STEEL CROSS MEMBERS.
M4	DISCONNECT SWITCH. POWER TO SIGN TO BE BY OTHERS.
M5	SUPPORTS: TWO (2) 6" ROUND ASTM A53 STEEL SUPPORTS. SM - 8.50
M6	FOUNDATIONS: SIZES TO BE DETERMINED BY STATE CERTIFIED ENGINEER.
M7	TWO (2) 4" SQUARE (.250) ASTM A500 STEEL TUBING WELDED BETWEEN MAIN SUPPORTS. CABINETS TO BOLT TO CROSS MEMBERS WITH EXISTING CLIPS ON BACKSIDE OF MESSAGE CENTERS. USE 3/8" LIBERTY TOGGLE BOLTS.

PAINT	DESCRIPTION
P1	SMOOTH GREEN FINISH - ACTUAL COLOR TO BE DETERMINED. <i>DARK GREEN</i>
P2	SMOOTH BLACK FINISH <i>DARK GREEN</i>
P3	SIMULATED STUCCO TEXTURE FINISH - COLOR TO BE DETERMINED. <i>BEIGE</i>

ELECTRICAL REQUIREMENTS
(TO BE DETERMINED) 20 AMP. 120 VOLT CIRCUITS REQUIRED DEDICATED TO SIGN ONLY. POWER TO SIGN TO BE SUPPLIED AND INSTALLED BY OTHERS.