



TILES ON ROOF AND INSTALLATION TO BE BY OTHER

SPECIFICATIONS:

TWO (2) DOUBLE FACE, ILLUMINATED PYLON SIGNS REQUIRED

MATERIAL	DESCRIPTION
M1	TOP CABINET TO HAVE 1/8" ALUMINUM FACES OVER INTERNAL ANGLE, ALL WELDED FRAME. "LAKEWOOD WALK" COPY TO BE ROUTED OUT. COPY TO BE BACKED WITH WHITE PLASTIC WITH DARK BROWN TRANSLUCENT VINYL #3630-59 APPLIED TO FIRST SURFACE. CABINET TO BE INTERNALLY ILLUMINATED WITH 800 M.A. HIGH OUTPUT FLUORESCENT LAMPS AND 120 VOLT H.O. BALLASTS.
M2	FABRICATED ALUMINUM ROOF WITH PLYWOOD OVERLAY. ALL ROOFING TILE TO BE APPLIED OVER PLYWOOD TO BE BY OTHERS.
M3	1 1/2" THICK CUT-OUT SENTRA TRUSSES.
M4	ROOF CABINET (NON-ILLUMINATED) TO HAVE ALUMINUM FACES OVER INTERNAL ANGLE FRAME.
M5	FABRICATED ALUMINUM REVEALS.
M6	TENANT CABINET TO HAVE 2" ALUMINUM ANGLE FACE RETAINERS AND DIVIDER BARS.
M7	ALL TENANT FACES TO BE FLAT WHITE PLASTIC WITH TRANSLUCENT VINYL APPLIED TO FIRST SURFACE. ALL COLOR AND COPY TO BE DETERMINED. PUBLIX TO HAVE 3M #3630-5801 CUSTOM GREEN TO MATCH PMS 363C.
M8	POLE COVERS TO BE FABRICATED ALUMINUM OVER INTERNAL ANGLE BRACING.
M9	BOTTOM CABINET (NON-ILLUMINATED) TO HAVE ALUMINUM FACES OVER INTERNAL ANGLE, ALL WELDED FRAME. 3" X 3" REVEAL ON BOTTOM OF CABINET.
M10	BOTTOM POLE COVERS AND BASE TO BE FABRICATED ALUMINUM OVER INTERNAL ANGLE BRACING. 1/4" SCORE LINES TO BE PAINTED.
M11	DISCONNECT SWITCH AT BOTTOM OF SIGN. POWER TO SIGN TO BE BY OTHERS
M12	SUPPORTS: SIZES TO BE DETERMINED BY STATE CERTIFIED ENGINEER. ESTIMATED SIZE: TWO (2) 10" X 10" #49 ASTM A36 STEEL I-BEAMS. SM - 54.6
M13	FOUNDATION: SIZES TO BE DETERMINED BY STATE OF CERTIFIED ENGINEER. ESTIMATED SIZE: 6'-0" X 4'-6" X 5'-0" DEEP. TOTAL CUBIC YARDS OF CONCRETE REQUIRED = 12.96

PAINT	DESCRIPTION
P1	SIMULATED STUCCO TEXTURE FINISH S.W. JERSEY CREAM #6379.
P2	SMOOTH FINISH S.W. SNOWBOUND #7004.
P3	SIMULATED STUCCO TEXTURE FINISH S.W. HUMBLE GOLD #6380.

SQUARE FEET
 TOP CABINET: 2.50 X 10 = 25.0
 TENANT CABINET: 10.10 X 10.0 = 100.0 S.F.
 TOTAL SQ. FT. OF SIGN = 125.0

ELECTRICAL REQUIREMENTS
 ONE (1) 20 AMP. 120 VOLT CIRCUIT REQUIRED DEDICATED TO SIGN ONLY.



8872 S.E. Marina Bay Drive
 Hobe Sound, FL. 33455
 Phone: 561-848-3440
 Fax: 561-848-3441
 bob@bachsign.com
 State Certified ES 12000577

Client: LAKEWOOD WALK
 BRANDENTON, FL

Date: AUGUST 13, 2006

Drawing Number: B06510-13 R1

Revisions:

DATE	DESCRIPTION
1 00-00	NA
2 00-00	NA
3 00-00	NA
4 00-00	NA
5 00-00	NA
6 00-00	NA
7 00-00	NA
8 00-00	NA
9 00-00	NA
10 00-00	NA

Sales Person: BOB HILTERBRICK

Scale: AS NOTED

Drawn by: O. BARNITZ

CLIENT/LANDLORD APPROVAL
 APPROVED
 APPROVED AS NOTED
 REVISE AND RESUBMIT
 Signature: _____
 Title: _____
 Date: _____

THIS IS AN ORIGINAL DRAWING PROVIDED AS PART OF A PLANNED PROJECT AND IS NOT TO BE EXHIBITED, COPIED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF BACH SIGN GROUP, INC. OR IT'S AUTHORIZED AGENTS. ALL RIGHTS RESERVED.

PRIMARY ELECTRICAL POWER TO SIGN TO BE BY OTHERS. ALL POWER TO BE 120 VOLT UNLESS OTHERWISE STATED.
 ELECTRICAL TO USE U.L. LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
 SIGN MUST BE GROUNDED IN COMPLIANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRIC CODE.